

L Number	Hits	Search Text	DB	Time stamp
1	1558	multicarrier or (multi adj carrier)	USPAT; US-PGPUB	2002/11/20 08:38
2	3715	DMT or (discrete adj ((multi adj tone) or multitone))	USPAT; US-PGPUB	2002/11/20 08:38
3	5571	(digital adj subscriber adj line) or \$2DSL	USPAT; US-PGPUB	2002/11/20 08:39
4	3838	bit adj load\$3	USPAT; US-PGPUB	2002/11/20 08:39
5	557	375/260.ccls.	USPAT; US-PGPUB	2002/11/20 08:46
6	156	375/260.ccls. and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))	USPAT; US-PGPUB	2002/11/20 08:47
7	129	(375/260.ccls. and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) not (bit adj load\$3)	USPAT; US-PGPUB	2002/11/20 08:56
8	16803	bit near2 (allocat\$3 or load\$3)	USPAT; US-PGPUB	2002/11/20 09:02
9	19377	control adj2 channel	USPAT; US-PGPUB	2002/11/20 09:02
10	1	5539777.pn. and (control adj2 channel)	USPAT; US-PGPUB	2002/11/20 09:11
11	53	(bit near2 (allocat\$3 or load\$3)) with (control adj2 channel)	USPAT; US-PGPUB	2002/11/20 09:11
12	20	((bit near2 (allocat\$3 or load\$3)) with (control adj2 channel)) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))	USPAT; US-PGPUB	2002/11/20 10:02
13	4221	(chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)	USPAT; US-PGPUB	2002/11/20 10:14
14	182	((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))	USPAT; US-PGPUB	2002/11/20 09:41
15	281	13.ti,ab.	USPAT; US-PGPUB	2002/11/20 09:41
16	10	13.ti,ab. and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))	USPAT; US-PGPUB	2002/11/20 09:43
17	172	((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) not (13.ti,ab. and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL)))	USPAT; US-PGPUB	2002/11/20 10:00
18	11	((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) with (bit near2 (allocat\$3 or load\$3))	USPAT; US-PGPUB	2002/11/20 10:01

19	2	((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) with (bit near2 (allocat\$3 or load\$3))) not (((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL)))	USPAT; US-PGPUB	2002/11/20 10:01
20	139	(bit near2 (allocat\$3 or load\$3)) and (control adj2 channel) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))	USPAT; US-PGPUB	2002/11/20 10:02
21	90	((bit near2 (allocat\$3 or load\$3)) and (control adj2 channel) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) not ((375/260.ccls. and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) or (((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) or (((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) with (bit near2 (allocat\$3 or load\$3))) not (((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))))	USPAT; US-PGPUB	2002/11/20 10:56
22	2870	(chang\$3 or vary\$3 or select\$3 or varies or variable or update) with (bit near2 (allocat\$3 or load\$3))	USPAT; US-PGPUB	2002/11/20 10:56
23	131	((chang\$3 or vary\$3 or select\$3 or varies or variable or update) with (bit near2 (allocat\$3 or load\$3))) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))	USPAT; US-PGPUB	2002/11/20 10:56

24	57	<p>((((chang\$3 or vary\$3 or select\$3 or varies or variable or update) with (bit near2 (allocat\$3 or load\$3))) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) not ((375/260.ccls. and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) or (((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) or (((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) with (bit near2 (allocat\$3 or load\$3))) not (((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) or (((bit near2 (allocat\$3 or load\$3)) and (control adj2 channel) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) not ((375/260.ccls. and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) or (((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) or (((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) with (bit near2 (allocat\$3 or load\$3))) not (((chang\$3 or vary\$3 or select\$3 or varies or variable) with (control adj2 channel)) and ((multicarrier or (multi adj carrier)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))))))))</p>	<p>USPAT; US-PGPUB</p>	<p>2002/11/20 10:56</p>
----	----	---	----------------------------	-----------------------------

L Number	Hits	Search Text	DB	Time stamp
1	1691	multicarrier or (multi adj carrier)	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:49
2	2406	OFDM or (orthogonal\$2 adj frequency adj division adj multiplex\$3)	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:49
3	933	DMT or (discrete adj ((multi adj tone) or multitone))	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:49
4	2356	(digital adj subscriber adj line) or \$2DSL	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:49
5	3340	bit near2 (allocat\$3 or load\$3)	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:50
6	12851	control adj2 channel	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:50
7	6778	(multicarrier or (multi adj carrier)) or (OFDM or (orthogonal\$2 adj frequency adj division adj multiplex\$3)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL)	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:50
8	4	(bit near2 (allocat\$3 or load\$3)) and (control adj2 channel) and ((multicarrier or (multi adj carrier)) or (OFDM or (orthogonal\$2 adj frequency adj division adj multiplex\$3)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:52
9	88	(bit near2 (allocat\$3 or load\$3)) and ((multicarrier or (multi adj carrier)) or (OFDM or (orthogonal\$2 adj frequency adj division adj multiplex\$3)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:52
10	88	((bit near2 (allocat\$3 or load\$3)) and ((multicarrier or (multi adj carrier)) or (OFDM or (orthogonal\$2 adj frequency adj division adj multiplex\$3)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) and bit	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:52
11	2032	(chang\$3 or vary\$3 or select\$3 or varies or variable or updat\$3) with (control adj2 channel)	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:53
12	0	((bit near2 (allocat\$3 or load\$3)) and ((multicarrier or (multi adj carrier)) or (OFDM or (orthogonal\$2 adj frequency adj division adj multiplex\$3)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) and bit) and ((chang\$3 or vary\$3 or select\$3 or varies or variable or updat\$3) with (control adj2 channel))	USPAT; US-PGPUB	2002/11/20 14:54
13	1	((bit near2 (allocat\$3 or load\$3)) and ((multicarrier or (multi adj carrier)) or (OFDM or (orthogonal\$2 adj frequency adj division adj multiplex\$3)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) and bit) and ((chang\$3 or vary\$3 or select\$3 or varies or variable or updat\$3) with (control adj2 channel))	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:54

14	7	(bit near2 (allocat\$3 or load\$3)) with (control adj2 channel)	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:55
16	1	((chang\$3 or vary\$3 or select\$3 or varies or variable or updat\$3) with (control adj2 channel)) with bit) and ((multicarrier or (multi adj carrier)) or (OFDM or (orthogonal\$2 adj frequency adj division adj multiplex\$3)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:55
17	0	((chang\$3 or vary\$3 or select\$3 or varies or variable or updat\$3) with (control adj2 channel)) with bit) and ((multicarrier or (multi adj carrier)) or (OFDM or (orthogonal\$2 adj frequency adj division adj multiplex\$3)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) not (((bit near2 (allocat\$3 or load\$3)) and ((multicarrier or (multi adj carrier)) or (OFDM or (orthogonal\$2 adj frequency adj division adj multiplex\$3)) or (DMT or (discrete adj ((multi adj tone) or multitone))) or ((digital adj subscriber adj line) or \$2DSL))) and bit) and ((chang\$3 or vary\$3 or select\$3 or varies or variable or updat\$3) with (control adj2 channel)))	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:55
15	38	((chang\$3 or vary\$3 or select\$3 or varies or variable or updat\$3) with (control adj2 channel)) with bit	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 14:55